Hi

	Application No.	Applicant(s)
Notice of Allowability	10/809,805	MIWA, YASUHIRO
	Examiner	Art Unit
	William B. Perkey	2851
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the preliminary amendment filed 03-26-04.		
2. The allowed claim(s) is/are <u>1-5</u> .		
3. The drawings filed on 26 March 2004 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of 		
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 03-06-04, 06-16-04 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Summary (Paper No./Mail Date 8), 7. ☑ Examiner's Amendm	e

Application/Control Number: 10/809,805

Art Unit: 2851

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In claim 2 line 32, the phrase "a second" has been changed to - - an - -, because this is the first occurrence of an AF signal value in the claim.

REASONS FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance: The primary reason for allowance of claims 1 and 3-5 is the claim 1 limitation for setting the infinity determination threshold value to the shorter range side among a first and second auto-focus (AF) signal, wherein the first AF signal is the farthest distance measurable by the camera and the second AF signal is determined based on the switchover luminance that determines whether the aperture is set to the wide open value or increases the aperture according to outside luminance. The primary reason for allowance of claim 2 is the claim limitation that the AF signal value corresponding to the switchover luminance is set as the infinity determination threshold value AND an infinity signal value, which is a distance signal value corresponding to an infinity set distance, is within a distance signal value corresponding to a range of permissible circle of confusion in an infinity determination distance, which is nearest distance of distances subjected to an infinity determination.

Application/Control Number: 10/809,805

Art Unit: 2851

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Telephone Numbers

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William B. Perkey whose telephone number is (571) 272-2126. The examiner can normally be reached on Monday-Thursday 7:00am-5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on (571) 272-2258. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

William B. Perkey Primary Examiner Art Unit 2851

WBP:wbp